



Greenluxe

Sustainable Luxury



Greenluxe – Main characteristics

- Recycled papers PCW (Post Consumer Waste)
- Dye coloured
- 2 equal sides
- Natural finishing
- Slightly felt marked
- Anti fingerprint treated



Greenluxe PCW50

Greenluxe PCW50				
Color	Color	Gramaje Weight		
		120 g	340 g	
RE1213	Amarillo Cromo	0410748 ▲		
		LS		Gofrado Embossing
RE156	Azul Oscuro	0410521 ▲		
		LS		Gofrado Embossing
RE111	Blanco Nieve	0410772 ▲▲◆◆	0410783 ▲	
		LS	LS	Gofrado Embossing
RE146	Botella	0410738 ▲		
		LS		Gofrado Embossing
RE185	Chocolate	0410522 ▲		
		LS		Gofrado Embossing
RE161	Escarlata	0410524 ▲		
		LS		Gofrado Embossing
RE1325	Gris Ardolse	0410526 ▲		
		LS		Gofrado Embossing
RE122	Gris Perla	0410737 ▲		
		LS		Gofrado Embossing
RE1179	Índigo	0410747 ▲		
		LS		Gofrado Embossing
RE3141	Nature	0413006 ▲	0413007 ▲▲◆◆	
		LS	LS	Gofrado Embossing
RE191	Negro Antracita	0410520 ▲		
		LS		Gofrado Embossing
RE164	Óxido	0410740 ▲		
		LS		Gofrado Embossing

Impresión muestras: ▲ Offset ▲ Relieve ● Estampación ◆ Reserva UV
 Card's Printing: ▲ Offset ▲ Blind emboss ● Hot Stamping ◆ UV Varnishing

- For luxury packaging, bookbinding, stationary
- 12 colours in 120 g
- 2 colours in 340 g
- Plain LS
- Available in sheets (70x100 cm) or rolls (140 m²)
- Custom made embosses (moq 6.400 sheets)
- Custom made productions moq 5tn



Greenluxe PCW100

Greenluxe PCW100					
Color	Color	Gramaje Weight			
		120 g	180 g	270 g	
RE1270	Arena	0410806 ▲			
		LS			Gofrado Embossing
RE156	Azul Oscuro	0410799 ▲			
		LS			Gofrado Embossing
RE111	Blanco Nieve	0410528 ▲▲◆◆	0410793 ▲	0410798 ▲	
		LS	LS	LS	Gofrado Embossing
RE185	Chocolate	0410803 ▲			
		LS			Gofrado Embossing
RE161	Escarlata	0410801 ▲			
		LS			Gofrado Embossing
RE1325	Gris Ardoise	0410804 ▲			
		LS			Gofrado Embossing
RE3141	Nature	0413003 ▲	0413004 ▲	0413005 ▲▲◆◆	
		LS	LS	LS	Gofrado Embossing
RE191	Negro Antracita	0410527 ▲			
		LS			Gofrado Embossing

Impresión muestras: ▲ Offset ▲ Relieve ● Estampación ◆ Reserva UU
 Card's Printing: ▲ Offset ▲ Blind emboss ● Hot Stamping ◆ UU Varnishing

- For packaging
- 8 colours in 120g
- 2 colours in 180g
- 2 colours in 270g
- Plain LS
- Available in sheets (70x100 cm) or rolls (140 m²)
- Custom made embosses (moq 6.400 sheets)
- Custom made productions moq 5tn




Why Greenlux?

- 2 well differentiated ranges:
 - 50% PCW – all uses, balance between strength and sustainability
 - 100% PCW – packaging, sustainability
- Intense, vivid and clean colours
- Great resistance
- CO2 Neutral Production
- 100% Recyclable and Biodegradable
- FSC





Neutral Production – Certification





Printing techniques and stamping

- Printing:
Perfect surface for offset or digital printing
- UV varnishing:
Excellent results for being a recycled paper (varnish density)
- Foil Stamping, Blind stamping and Embossing:
It can be embossed or stamped without any problems
- Laminating:
Perfect conditions for laminating to cardboard